

Certificate of Analysis



Created: 09/02/2021

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com

Name: 788technologies LLC
License #: PAAA-4JM4-BRZF
OBND #: 61512
Transport #: TA-AAA-QXY1-ZPH

Sample Received: Aug 23 at 09:00 am
Lab ID: IOK21H061-01
Metric ID: G21236BB-1
Lot #:
Batch ID: G21236BB-1

Type: Infused Non-Edible
Strain: Bubble Bath
Sample Size: 130.00 g
Report Created: 09/02/2021

Cannabinoids Completed Total THC % 0.1184	Terpenes Completed	Pesticides Pass
Mycotoxins Pass	Residual Solvents Pass	Microbials Pass
Heavy Metals Pass	Foreign Matter Pass	




Evan Foster

Certificate of Analysis



Created: 09/02/2021

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com

Cannabinoids

Total THC % 0.1184	Total CBD % 0.1523
------------------------------	------------------------------

Analyte	mass mg/g	loq mg/g	Result %
CBDA	ND mg/g	0.10 mg/g	ND %
CBGA	ND mg/g	0.10 mg/g	ND %
CBG	ND mg/g	0.10 mg/g	ND %
CBD	1.523 mg/g	0.10 mg/g	0.152 %
THCV	ND mg/g	0.10 mg/g	ND %
CBN	ND mg/g	0.10 mg/g	ND %
D9 THC	1.184 mg/g	0.10 mg/g	0.118 %
D8 THC	ND mg/g	0.10 mg/g	ND %
CBC	ND mg/g	0.10 mg/g	ND %
THCA	ND mg/g	0.10 mg/g	ND %
Total Cannabinoids	2.707 mg/g	mg/g	0.271 %

Notes: Potency on HPLC. All QC pass unless noted. Total THC = THCA x 0.877 + D9-THC Total CBD = CBDA x 0.877 + CBD If Result value is empty, then analyte is less than LOQ.



Evan Foster



Created: 09/02/2021

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com

Terpenes

Analyte	mass mg/g	loq mg/g	Result %
Alpha-Pinene	ND mg/g	0.10 mg/g	ND %
Camphene	ND mg/g	0.10 mg/g	ND %
Beta-Myrcene	ND mg/g	0.10 mg/g	ND %
Beta-Pinene	ND mg/g	0.10 mg/g	ND %
Delta 3 Carene	ND mg/g	0.10 mg/g	ND %
Alpha-Terpinene	ND mg/g	0.10 mg/g	ND %
Cis-Ocimene	ND mg/g	0.10 mg/g	ND %
Limonene	0.049 mg/g	0.10 mg/g	
p-Cymene	ND mg/g	0.10 mg/g	ND %
Trans-Ocimene	ND mg/g	0.10 mg/g	ND %
Eucalyptol	ND mg/g	0.10 mg/g	ND %
Gamma-Terpinene	ND mg/g	0.10 mg/g	ND %
Alpha-Terpinolene	ND mg/g	0.10 mg/g	ND %
Linalool	0.09 mg/g	0.10 mg/g	
Isopulegol	ND mg/g	0.10 mg/g	ND %
Geraniol		0.10 mg/g	
Beta-Caryophyllene	ND mg/g	0.10 mg/g	ND %
Alpha-Humulene	24.057 mg/g	0.10 mg/g	2.406 %
Trans-Nerolidol	ND mg/g	0.10 mg/g	ND %
Guaiol	ND mg/g	0.10 mg/g	ND %
Caryophyllene Oxide	ND mg/g	0.10 mg/g	ND %
Alpha-Bisabolol	ND mg/g	0.10 mg/g	ND %
Total Terpenes	24.057 mg/g	mg/g	2.406 %

Notes: Terpenes on GCFID. All QC pass unless noted. If Result value is empty, then analyte is less than LOQ.



Evan Foster

Certificate of Analysis



Created: 09/02/2021

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com

Pesticides

Analyte	loq ppm	limit ppm	mass ppm	status
Abamectin	0.05 ppm	0.50 ppm	ND ppm	Pass ---
Azoxystrobin	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Bifenazate	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Etoxazole	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Imazalil	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Imidacloprid	0.05 ppm	0.40 ppm	ND ppm	Pass ---
Malathion	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Spirotetramat	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Myclobutanil	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Tebuconazole	0.05 ppm	0.40 ppm	ND ppm	Pass ---
Spiromesifen	0.05 ppm	0.50 ppm	ND ppm	Pass ---
Spinosad	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Permethrins	0.05 ppm	0.20 ppm	ND ppm	Pass ---

Notes: Pesticides on LCMS. All QC pass unless noted. If Result value is empty, then analyte is less than LOQ.



Evan Foster

Certificate of Analysis

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com



Mycotoxins

Analyte	loq ppb	limit ppb	mass ppb	status
Ochratoxin A	2.00 ppb	20.00 ppb	ND ppb	Pass
Aflatoxins (B1, B2, G1, and G2)	2.00 ppb	20.00 ppb	ND ppb	Pass

Notes: Mycotoxins on LCMS. All QC pass unless noted. If Result value is empty, then analyte is less than LOQ.



Evan Foster

Certificate of Analysis



Created: 09/02/2021

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com

Residual Solvents

Analyte	loq ppm	limit ppm	mass ppm	status
Propane	50.00 ppm	1000.00 ppm	ND ppm	Pass ---
Methanol	50.00 ppm	600.00 ppm	ND ppm	Pass ---
Pentane	50.00 ppm	1000.00 ppm	ND ppm	Pass ---
Ethanol	ppm	5000.00 ppm	ND ppm	Pass ---
Acetone	50.00 ppm	1000.00 ppm	ND ppm	Pass ---
Isopropyl Alcohol	50.00 ppm	1000.00 ppm	ND ppm	Pass ---
Hexane	10.00 ppm	60.00 ppm	ND ppm	Pass ---
Ethyl Acetate	50.00 ppm	1000.00 ppm	ND ppm	Pass ---
Benzene	0.50 ppm	2.00 ppm	ND ppm	Pass ---
Heptanes	50.00 ppm	1000.00 ppm	ND ppm	Pass ---
Toluene	50.00 ppm	180.00 ppm	ND ppm	Pass ---
Total Xylenes	50.00 ppm	430.00 ppm	ND ppm	Pass ---
Butanes	50.00 ppm	1000.00 ppm	ND ppm	Pass ---

Notes: Residual Solvents on GCFID. All QC pass unless noted. If Result value is empty, then analyte is less than LOQ.



Evan Foster

Certificate of Analysis

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com



Created: 09/02/2021

Microbials

Analyte	limit	mass	status
STEC	1.00 ---	ND ---	Pass ---
Salmonella	1.00 ---	ND ---	Pass ---
Aspergillus Flavus	1.00 ---	ND ---	Pass ---
Aspergillus Fumigatus	1.00 ---	ND ---	Pass ---
Aspergillus Niger	1.00 ---	ND ---	Pass ---
Aspergillus Terreus	1.00 ---	ND ---	Pass ---
Total Yeast and Mold	10000.00 ---	ND ---	Pass ---

Notes: Microbials on Pathogen Dx. All QC pass unless noted. If Result value is empty, then analyte is less than LOQ.

Heavy Metals

Analyte	loq ppm	limit ppm	mass ppm	status
Arsenic	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Cadmium	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Mercury	0.05 ppm	0.10 ppm	ND ppm	Pass ---
Lead	0.05 ppm	0.50 ppm	0.032 ppm	Pass ---

Notes: Heavy Metals on ICPMS. All QC pass unless noted. If Result value is empty, then analyte is less than LOQ.



Evan Foster

Certificate of Analysis



Created: 09/02/2021

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com

Foreign Matter

Analyte	limit %	FFM %	status
Filth and Foreign Matter	2.00 %	ND %	Pass ---

Test Results apply to only the samples within the Test Report and Report shall not be reproduced except in full without approval of the lab.



Evan Foster