



Certificate of Analysis



Created: 01/10/2022

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com

Name: 788technologies LLC
License #: PAAA-4JM4-BRZF
OBND #: 61512
Transport #: TA-AAA-QXY1-ZPH

Sample Received: Dec 28 at 04:47 am
Lab ID: IOK21L038-01
Metrc ID:
Lot #: CV210099
Batch ID: G21362CV-1

Type: Infused Edible
Strain: 25 mg Vanilla Caramel Chews
Sample Size: 36.00 g
Report Created: 01/10/2022

Cannabinoids Completed Total THC % 0.3948	Terpenes Completed	Pesticides Pass
Mycotoxins Pass	Residual Solvents Pass	Microbials Pass
Heavy Metals Pass	Foreign Matter Pass	



Evan Foster

Certificate of Analysis



Created: 01/10/2022

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com

Cannabinoids

Total THC % 0.3948	Total CBD % 0.001
------------------------------	-----------------------------

Analyte	mass mg/g	loq mg/g	Result %
CBDA		0.10 mg/g	
CBGA	ND mg/g	0.10 mg/g	ND %
CBG	0.125 mg/g	0.10 mg/g	0.013 %
CBD	0.01 mg/g	0.10 mg/g	
THCV	0.077 mg/g	0.10 mg/g	
CBN	0.027 mg/g	0.10 mg/g	
D9 THC	3.948 mg/g	0.10 mg/g	0.395 %
D8 THC	ND mg/g	0.10 mg/g	ND %
CBC	0.06 mg/g	0.10 mg/g	
THCA	ND mg/g	0.10 mg/g	ND %
Total Cannabinoids	4.25 mg/g	mg/g	0.425 %

Notes: Potency on HPLC. All QC pass unless noted. Total THC = THCA x 0.877 + D9-THC Total CBD = CBDA x 0.877 + CBD If Result value is empty, then analyte is less than LOQ.



Evan Foster

Certificate of Analysis

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com



Created: 01/10/2022

Terpenes

Analyte	mass mg/g	loq mg/g	Result %
Alpha-Pinene	0.364 mg/g	0.10 mg/g	0.036 %
Camphene	ND mg/g	0.10 mg/g	ND %
Beta-Myrcene	ND mg/g	0.10 mg/g	ND %
Beta-Pinene	ND mg/g	0.10 mg/g	ND %
Delta 3 Carene	ND mg/g	0.10 mg/g	ND %
Alpha-Terpinene	2.76 mg/g	0.10 mg/g	0.276 %
Cis-Ocimene	0.149 mg/g	0.10 mg/g	0.015 %
Limonene	0.064 mg/g	0.10 mg/g	
p-Cymene	ND mg/g	0.10 mg/g	ND %
Trans-Ocimene	ND mg/g	0.10 mg/g	ND %
Eucalyptol	ND mg/g	0.10 mg/g	ND %
Gamma-Terpinene	0.018 mg/g	0.10 mg/g	
Alpha-Terpinolene	0.154 mg/g	0.10 mg/g	0.015 %
Linalool	0.067 mg/g	0.10 mg/g	
Isopulegol	ND mg/g	0.10 mg/g	ND %
Geraniol	0.211 mg/g	0.10 mg/g	0.021 %
Beta-Caryophyllene	0.017 mg/g	0.10 mg/g	
Alpha-Humulene	0.04 mg/g	0.10 mg/g	
Trans-Nerolidol	0.087 mg/g	0.10 mg/g	
Guaiol	0.066 mg/g	0.10 mg/g	
Caryophyllene Oxide	0.124 mg/g	0.10 mg/g	0.012 %
Alpha-Bisabolol	0.067 mg/g	0.10 mg/g	
Total Terpenes	3.762 mg/g	mg/g	0.376 %

Notes: Terpenes on GCFID. All QC pass unless noted. If Result value is empty, then analyte is less than LOQ.



Evan Foster

Certificate of Analysis

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com



Created: 01/10/2022

Pesticides

Analyte	loq ppm	limit ppm	mass ppm	status
Abamectin	0.05 ppm	0.50 ppm	ND ppm	Pass ---
Azoxystrobin	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Bifenazate	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Etoxazole	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Imazalil	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Imidacloprid	0.05 ppm	0.40 ppm	ND ppm	Pass ---
Malathion	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Spirotetramat	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Myclobutanil	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Tebuconazole	0.05 ppm	0.40 ppm	ND ppm	Pass ---
Spiromesifen	0.05 ppm	0.50 ppm	ND ppm	Pass ---
Spinosad	0.05 ppm	0.20 ppm	ND ppm	Pass ---
Permethrins	0.05 ppm	0.20 ppm	ND ppm	Pass ---

Notes: Pesticides on LCMS. All QC pass unless noted. If Result value is empty, then analyte is less than LOQ.



Evan Foster

Certificate of Analysis



Created: 01/10/2022

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com

Mycotoxins

Analyte	loq ppb	limit ppb	mass ppb	status
Ochratoxin A	2.00 ppb	20.00 ppb	ND ppb	Pass
Aflatoxins (B1, B2, G1, and G2)	2.00 ppb	20.00 ppb	ND ppb	Pass

Notes: Mycotoxins on LCMS. All QC pass unless noted. If Result value is empty, then analyte is less than LOQ.



Evan Foster

Certificate of Analysis



Created: 01/10/2022

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com

Residual Solvents

Analyte	loq ppm	limit ppm	mass ppm	status
Propane	50.00 ppm	1000.00 ppm	ND ppm	Pass ---
Methanol	50.00 ppm	600.00 ppm	ND ppm	Pass ---
Pentane	50.00 ppm	1000.00 ppm	ND ppm	Pass ---
Ethanol	ppm	ppm	50.25 ppm	Pass ---
Acetone	50.00 ppm	1000.00 ppm	ND ppm	Pass ---
Isopropyl Alcohol	50.00 ppm	1000.00 ppm	ND ppm	Pass ---
Hexane	10.00 ppm	60.00 ppm	ND ppm	Pass ---
Ethyl Acetate	50.00 ppm	1000.00 ppm	ND ppm	Pass ---
Benzene	0.50 ppm	2.00 ppm	ND ppm	Pass ---
Heptanes	50.00 ppm	1000.00 ppm	ND ppm	Pass ---
Toluene	50.00 ppm	180.00 ppm	ND ppm	Pass ---
Total Xylenes	25.00 ppm	430.00 ppm	ND ppm	Pass ---
Butanes	50.00 ppm	1000.00 ppm	ND ppm	Pass ---

Notes: Residual Solvents on GCFID. All QC pass unless noted. If Result value is empty, then analyte is less than LOQ.



Evan Foster

Certificate of Analysis



Created: 01/10/2022

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com

Microbials

Analyte	limit	mass	status
STEC	1.00 ---	ND ---	Pass ---
Salmonella	1.00 ---	ND ---	Pass ---
Aspergillus Flavus	1.00 ---	ND ---	Pass ---
Aspergillus Fumigatus	1.00 ---	ND ---	Pass ---
Aspergillus Niger	1.00 ---	ND ---	Pass ---
Aspergillus Terreus	1.00 ---	ND ---	Pass ---
Total Yeast and Mold	10000.00 ---	120 ---	Pass ---

Notes: Microbials on Pathogen Dx. All QC pass unless noted. If Result value is empty, then analyte is less than LOQ.

Heavy Metals

Analyte	loq ppm	limit ppm	mass ppm	status
Arsenic	0.05 ppm	1.50 ppm	ND ppm	Pass ---
Cadmium	0.05 ppm	0.50 ppm	ND ppm	Pass ---
Mercury	0.05 ppm	1.50 ppm	ND ppm	Pass ---
Lead	0.05 ppm	1.00 ppm	0.026 ppm	Pass ---

Notes: Heavy Metals on ICPMS. All QC pass unless noted. If Result value is empty, then analyte is less than LOQ.



Evan Foster

Certificate of Analysis



Created: 01/10/2022

Integrity Testing Lab
5622 N. Portland Ave., Ste. 101
Oklahoma City, OK 73112
License #: LAAA-SSUC-08SY
Charles Bogie | charlesbogiemd@me.com

Foreign Matter

Analyte	limit %	FFM %	status
Filth and Foreign Matter	2.00 %	ND %	Pass ---

Test Results apply to only the samples within the Test Report and Report shall not be reproduced except in full without approval of the lab.



Evan Foster