



# Certificate of Analysis

Powered by Confident Cannabis  
1 of 2

## 788Technologies


1919 Bordeaux Rue  
Goldsby, OK 73093  
stan@788technologies.com  
(405) 229-5072  
Lic. #PAAA-4JM4-BRZF

## Sample: 2201SL0068.0255

Strain: Primitivo OG  
Batch#: G21364F-138-DAAA; Batch Size: g  
Sample Received: 01/17/2022; Report Created: 01/20/2022

## Primitivo OG

Plant, Flower - Cured  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



## Safety

|            |            |                |                  |
|------------|------------|----------------|------------------|
| Pass       | Pass       | Not Tested     | Pass             |
| Pesticides | Microbials | Mycotoxins     | Water Activity   |
| Not Tested | Pass       | Pass           | Pass             |
| Solvents   | Metals     | Foreign Matter | Moisture Content |

## Cannabinoids

Date Tested: 01/17/2022  
Analyst: DW

|           |           |          |
|-----------|-----------|----------|
| 24.24%    | 0.07%     | 10.4%    |
| Total THC | Total CBD | Moisture |

| Analyte      | LOQ  | Results      | Results      |
|--------------|------|--------------|--------------|
|              | %    | %            | mg/g         |
| THCa         | 0.53 | 26.79        | 267.9        |
| Δ9-THC       | 0.05 | 0.75         | 7.5          |
| Δ8-THC       | 0.05 | ND           | ND           |
| THCV         | 0.05 | ND           | ND           |
| CBDa         | 0.05 | 0.08         | 0.8          |
| CBD          | 0.05 | ND           | ND           |
| CBDV         | 0.05 | ND           | ND           |
| CBN          | 0.05 | ND           | ND           |
| CBGa         | 0.05 | 0.40         | 4.0          |
| CBG          | 0.05 | 0.26         | 2.6          |
| CBC          | 0.05 | ND           | ND           |
| <b>Total</b> |      | <b>28.28</b> | <b>282.8</b> |


Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
Reference Method: J AOAC 2015 V98-6; ASTM Method D2216-10; Flower results are dry weight corrected using Method ASTM D2216-10; Analytical Methodology and Moisture Balance: HPLC/UV; Flower results are dry weight corrected.

## Terpenes

Date Tested: 01/17/2022  
Analyst: DW

| Analyte             | LOQ   | Results      | Results      |
|---------------------|-------|--------------|--------------|
|                     | %     | %            | mg/g         |
| β-Myrcene           | 0.012 | 1.214        | 12.14        |
| Limonene            | 0.012 | 0.568        | 5.68         |
| α-Pinene            | 0.012 | 0.221        | 2.21         |
| Linalool            | 0.012 | 0.201        | 2.01         |
| β-Pinene            | 0.012 | 0.154        | 1.54         |
| β-Caryophyllene     | 0.012 | 0.141        | 1.41         |
| Guaiol              | 0.012 | 0.057        | 0.57         |
| α-Humulene          | 0.012 | 0.042        | 0.42         |
| β-Ocimene           | 0.012 | 0.021        | 0.21         |
| Camphene            | 0.012 | 0.016        | 0.16         |
| Isopulegol          | 0.012 | 0.014        | 0.14         |
| 3-Carene            | 0.012 | <0.012       | <0.12        |
| α-Bisabolol         | 0.012 | <0.012       | <0.12        |
| α-Terpinene         | 0.012 | <0.012       | <0.12        |
| Caryophyllene Oxide | 0.012 | <0.012       | <0.12        |
| cis-Nerolidol       | 0.012 | <0.012       | <0.12        |
| Eucalyptol          | 0.012 | <0.012       | <0.12        |
| γ-Terpinene         | 0.012 | <0.012       | <0.12        |
| Geraniol            | 0.012 | <0.012       | <0.12        |
| Nerolidol           | 0.012 | <0.012       | <0.12        |
| Ocimene             | 0.012 | <0.012       | <0.12        |
| Phytol              | 0.000 | <0.000       | <0.00        |
| p-Cymene            | 0.012 | <0.012       | <0.12        |
| Terpinolene         | 0.012 | <0.012       | <0.12        |
| trans-Nerolidol     | 0.012 | <0.012       | <0.12        |
| <b>Total</b>        |       | <b>2.648</b> | <b>26.48</b> |

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analytical Methodology: Headspace-GC/MS  
Notes: DW




2408 NW 10th St.  
Oklahoma City, OK  
(405) 788-0247  
http://www.scissortailabs.com  
Lic# LAAA-NKSL-JY3L

Ian Cameron  
Lab Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Definitions: LOQ = Limit of Quantitation, NT = Not Tested, ND = Not Detected; This product has been tested by Scissortail Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Scissortail Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Scissortail Labs.



# Certificate of Analysis

Powered by Confident Cannabis  
2 of 2

## 788Technologies

1919 Bordeaux Rue  
Goldsby, OK 73093  
stan@788technologies.com  
(405) 229-5072  
Lic. #PAAA-4JM4-BRZF

## Sample: 2201SL0068.0255

Strain: Primitivo OG  
Batch#: G21364F-138-DAAA; Batch Size: g  
Sample Received: 01/17/2022; Report Created: 01/20/2022

## Primitivo OG

Plant, Flower - Cured  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



### Pesticides Date Tested: 01/20/2022 Analyst: cannabest **Pass**

| Analyte       | LOQ   | Limit | Results | Status |
|---------------|-------|-------|---------|--------|
|               | PPM   | PPM   | PPM     |        |
| Abamectin     | 0.500 | 0.500 | ND      | Pass   |
| Azoxystrobin  | 0.200 | 0.200 | ND      | Pass   |
| Bifenazate    | 0.200 | 0.200 | ND      | Pass   |
| Etoazazole    | 0.200 | 0.200 | ND      | Pass   |
| Imazail       | 0.200 | 0.200 | ND      | Pass   |
| Imidacloprid  | 0.400 | 0.400 | ND      | Pass   |
| Malathion     | 0.200 | 0.200 | ND      | Pass   |
| Myclobutanil  | 0.200 | 0.200 | ND      | Pass   |
| Permethrins   | 0.200 | 0.200 | ND      | Pass   |
| Spinosad      | 0.200 | 0.200 | ND      | Pass   |
| Spiromesifen  | 0.200 | 0.200 | ND      | Pass   |
| Spirotetramat | 0.200 | 0.200 | ND      | Pass   |
| Tebuconazole  | 0.400 | 0.400 | ND      | Pass   |

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory; Analytical Methodology: LC/MS/MS

### Heavy Metals Date Tested: 01/18/2022 Analyst: es **Pass**

| Analyte | LOQ   | Limit | Results | Status |
|---------|-------|-------|---------|--------|
|         | PPM   | PPM   | PPM     |        |
| Arsenic | 0.048 | 0.200 | 0.101   | Pass   |
| Cadmium | 0.048 | 0.200 | <LOQ    | Pass   |
| Lead    | 0.048 | 0.500 | 0.187   | Pass   |
| Mercury | 0.048 | 0.100 | <LOQ    | Pass   |

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory; Analytical Methodology: Microwave Digestion-ICP/MS

### Residual Solvents Date Tested: Analyst: **Not Tested**

| Analyte | LOQ | Limit | Results | Status |
|---------|-----|-------|---------|--------|
|---------|-----|-------|---------|--------|

### Microbials Date Tested: 01/19/2022 Analyst: ts **Pass**

| Analyte               | Date Tested | LOQ   | Limit | Results | Status |
|-----------------------|-------------|-------|-------|---------|--------|
|                       |             | CFU/g | CFU/g | CFU/g   |        |
| Aspergillus flavus    | 01-19-2022  | 1     | 1     | ND      | Pass   |
| Aspergillus fumigatus | 01-19-2022  | 1     | 1     | ND      | Pass   |
| Aspergillus niger     | 01-19-2022  | 1     | 1     | ND      | Pass   |
| Aspergillus terreus   | 01-19-2022  | 1     | 1     | ND      | Pass   |
| Salmonella            | 01-19-2022  | 1     | 1     | ND      | Pass   |
| Shiga Toxin E. Coli   | 01-19-2022  | 1     | 1     | ND      | Pass   |
| Yeast & Mold          | 01-19-2022  | 100   | 10000 | 1400    | Pass   |

Analytical Methodology: End-point PCR

### Water Activity Date Tested: 01/17/2022 Analyst: mr **Pass**

| Analyte        | Limit | Results | Status |
|----------------|-------|---------|--------|
|                | aw    | aw      |        |
| Water Activity | 0.650 | 0.466   | Pass   |


Analytical Methodology: Chilled mirror dew point and capacitive hygrometer

### Foreign Matter **Pass**

| Analyte | Result       | Status |
|---------|--------------|--------|
| Other   | Not Detected | Pass   |

### Mycotoxins Date Tested: Analyst: **Not Tested**

| Analyte | LOQ | Limit | Results | Status |
|---------|-----|-------|---------|--------|
|---------|-----|-------|---------|--------|



2408 NW 10th St.  
Oklahoma City, OK  
(405) 788-0247  
http://www.scissortailabs.com  
Lic# LAAA-NKSL-JY3L



Ian Cameron  
Lab Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Date Tested: 01/17/2022  
Definitive Analytical Methodology: Quantitative for Oils and Powders; Not Tested: ND = Not Tested; NT = Not Tested; ND = Not Detected; This product has been tested by Scissortail Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Scissortail Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Scissortail Labs.